



| CYL BORE | ROD MM | KK         | AM min | CE  | LE min | ER max | CM A16 | CL max | ØCK H9 |
|----------|--------|------------|--------|-----|--------|--------|--------|--------|--------|
| 40       | 18     | M14 x 1.5  | 19     | 38  | 19     | 17     | 20     | 42     | 14     |
|          | 28     | M20 x 1.5  | 29     | 60  | 32     | 29     | 30     | 62     | 20     |
| 50       | 22     | M16 x 1.5  | 23     | 54  | 32     | 29     | 30     | 62     | 20     |
|          | 36     | M27 x 2.0  | 37     | 75  | 39     | 34     | 40     | 83     | 28     |
| 63       | 28     | M20 x 1.5  | 29     | 60  | 32     | 29     | 30     | 62     | 20     |
|          | 45     | M33 x 2.0  | 46     | 99  | 54     | 50     | 50     | 103    | 36     |
| 80       | 36     | M27 x 2.0  | 37     | 75  | 39     | 34     | 40     | 83     | 28     |
|          | 56     | M42 x 2.0  | 57     | 113 | 57     | 53     | 60     | 123    | 45     |
| 100      | 45     | M33 x 2.0  | 46     | 99  | 54     | 50     | 50     | 103    | 36     |
|          | 70     | M48 x 2.0  | 64     | 126 | 63     | 59     | 70     | 143    | 56     |
| 125      | 56     | M42 x 2.0  | 57     | 113 | 57     | 53     | 60     | 123    | 45     |
|          | 90     | M64 x 3.0  | 86     | 168 | 83     | 78     | 80     | 163    | 70     |
| 160      | 70     | M48 x 2.0  | 64     | 126 | 63     | 59     | 70     | 143    | 56     |
|          | 110    | M80 x 3.0  | 96     | 185 | 90     | 85     | 100    | 183    | 80     |
| 200      | 90     | M64 x 3.0  | 86     | 168 | 83     | 78     | 80     | 143    | 70     |
|          | 140    | M100 x 3.0 | 113    | 200 | 105    | 100    | 125    | 225    | 100    |